

Product Datasheet model sportstyle 9193 880

UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth

**Product
characteristics**

- extremely light safety spectacle with a sporty design
- optimal vision thanks to the shape of the uvex lens
- uvex variomatic lenses accommodate fast in changing UV irradiation conditions by automatic darkening (10 s) and lightening (30 s)
- soft, adjustable nose piece and soft, non-slip ear pieces (uvex duo component technology) ensure a secure, pressure-free fit

Technical details**Frame**

Material
Features
Colour

Front piece

PC-PBT / TPE
individually adjustable nose pad
black

Material	Temples
Colour	PC-PBT / TPE black, anthracite
Manufacturer's ID code	Marking W
Applicable EN norm	166
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Conformity symbol	CE
Lens	
Material	PC
Thickness	2,1 mm
Coating	uvex supravision variomatic
Colour	light green
UV protection	UV 400
Filter	Marking 5-1,1<2 (DIN EN 172)
Manufacturer's ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Antifog	N
Conformity symbol	CE

Miscellaneous

Weight

23 g

Packing

5 spectacles per box

160 spectacles per cardboard box

Standards

DIN EN 166 + DIN EN 172

PPE Category

Category II