

**Product Datasheet model u-sonic 9308 245**

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth**

**Product  
characteristics**

- small goggle with low weight for discharge instead of charge
- slight pressure and homogeneous pressure distribution for a high wearing comfort
- compact geometry for a good combination with other PSE like helmets
- perfect fit by duo component technology
- an innovative ventilation system keeps the eyes comfortable
- lens replacement possible

<b>Technical details</b>	
<b>Frame</b>	
Material	<b>Front piece</b> PP / TPE
Colour	anthracite/lime
<b>Headband</b>	
Material	synthetic headband
Features	individually adjustable
Colour	anthracite/lime
<b>Marking</b>	
Manufacturer's ID code	W
Applicable EN norm	166
Field of use	3 (drops and splashes of liquid) 4 (large dust particles)
Low-energy impact	B (120 m/s)
Conformity symbol	CE
<b>Lens</b>	
Material	PC
Thickness	2,1 mm
Coating	uvex supravision excellence
Colour	clear
<b>Marking</b>	
Filter	2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	B (120 m/s)
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE

**Miscellaneous**

Weight

69 g

Packing

5 spectacles per box

90 spectacles per cardboard box

Standards

DIN EN 166 + DIN EN 170