

Product data sheet cup shape mask FFP2 with Carbon - uvex silv-Air 2220



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, 90766 Fürth, Germany

Product features	<ul style="list-style-type: none"> • Optimised shape • Soft material edges for high wearing comfort • Continuous head band for a comfortable and secure fit • Exhalation valve for reduced build-up of heat and moisture inside the mask • Flexible and adjustable nose piece • Mask fulfils the requirements of the dolomite dust test (D) • Compatible with uvex safety eyewear • The half sealing lip provides good fitting combined with high wearing comfort • Activated carbon filter for odours, gases and vapours below limit value
Materials	<p>Head band: elastic textile Nose piece: aluminum Head band clips: without Filter / mask: Melt Blown PP, Polyester Sealing lip: PVC foam Valve: ABS</p>

Areas of use The respiratory protection mask can be used against solid, aqueous and non-volatile liquid aerosols up to 10 times the respective limit values.	Mining, chemical industry, shipyards, iron and steel industry, woodworking, dust and fumes of substances such as asbestos, quartz, aluminium, copper, barium, titanium, vanadium, chrome, manganese and coal dust with more than 10% free silicon dioxide.
Weight	19g
Standard	EN 149:2001 + A1:2009

Versions/Colour:

Artkle-No.	Colour/Version	Retail unit
8732.220	cup shape mask FFP2, white with valve and carbon	15 pieces per box