

uvex

SAFETY
EYEWEAR

25.06.2015
SBU-E-PGM-PM

Product Datasheet model ultravision 9301 716



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics	<ul style="list-style-type: none">* Anatomical shape and soft material allow close, yet comfortable fit* Additional comfort cushioning* Fits comfortably over most prescription spectacles* Nose bridge works well with respirators* Frosted top to reduce glare* High-quality, easily adjustable headband* Optically correct lens (EN 166 class 1) does not distort view or cause headaches* Simple lens replacement reduces cost
Technical details	
Frame	Front piece
Material	PVC
Features	ventilation system / face foam velour
Colour	transparent light grey

Material	Headband synthetic headband
Features	adjustable
Colour	anthracite/lime
Manufacturer's ID code	Marking W
Applicable EN norm	166
Fiedl of use	3 (drops and splashes of liquid) 4 (large dust particles)
Impact resistance	F (45 m/s)
Tested acc. to DIN	DIN
No. of certificat. body	0196
Conformity symbol	CE
Lens	
Material	CA
Thickness	1,2 mm
Coating	inside antifog
Colour	clear
Filter	Marking 2-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Antifog	N
Tested acc. to DIN	DIN
Conformity symbol	CE

Miscellaneous

Weight

121 g

Packing

80 pieces in one carton

Standards

DIN EN 166 + DIN EN 170