

**Product Datasheet model 9161 144**

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth**

**Product  
characteristics**

- Comfortable welding overspec
- Super panoramic lens with 180° visual view
- Excellent, pressure-free fit
- Efficient indirect ventilation due to special sidearm design
- Temple length adjustment
- uvex dou-flex temples for maximum wearer comfort
- New filter technology
- Perfect colour recognition conforms to uvex grey sunglare filters
- UV and IR radiation protection
- Minimises damage from welding sparks

<b>Technical details</b>	
<b>Frame</b>	
Material	<b>Front piece / Lens</b> PC
Colour	grey
Material	<b>Side piece</b> PC
Features	4 positions length adjustability
Colour	grey
Material	<b>Temple</b> PBT+PC/TPU
Features	Duo-flex temple end
Colour	black/green
<b>Lens</b>	
Material	PC
Thickness	2,4 mm
Coating	uvex infradur
Colour	grey
Filter	<b>Marking</b> 4 (EN 169)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temp.	T
Manufacturer's ID code	W
Applicable EN norm	166
Conformity symbol	CE

**Miscellaneous**

Weight

47 g

Packing

75 spectacles per carton

Standards

DIN EN 166 + DIN EN 169