

Product Datasheet model super fit 9178 041

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics	<ul style="list-style-type: none">* Ultra light safety spectacle with hinged side arms* Innovative design concept, sporty dynamics* High-flexible frame made of high tech polymers* Extra slim wrap-around lens* Great cover of eyebrow- and cheek area* Pleasant softly anti skidding temples thanks to x-stream-technology (XST)* Comfortable fit* Perfectly combinable with respirator mask
Technical details	
Frame	
Material	Front piece
Colour	PC/PBT
	black

Material	Temple TPE
Features	uvex XST-temple
Colour	black/green
Manufacturer's ID code	Marking W
Applicable EN norm	166
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Conformity symbol	CE
Lens	
Material	PC
Thickness	1,5 mm
Coating	uvex infradur plus
Colour	grey
Filter	Marking 1,7 (DIN EN 169)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE

Miscellaneous

Weight

21 g

Packing

5 spectacles per box

200 spectacles per cardboard box

Standards

DIN EN 166 + DIN EN 169